





Speed: 0,27 m/s - 3,2 m/s

Capacity: 100 kg - 19.500 kg

***Engineered to
Perfection***





GEARBOX MACHINES







Speed: 0,27-3,20 m/s

Capacity: 100-9.750 kg

Cruising Range: 11-51 meter



MUGEN MF 1 PRO E MUGEN MF 1







21-30 Metre Seyir Mesafesi
21-30 Meters Cruising Range
1:1 Askı

1:1 Suspension
3500 kg Statik Yük
3500 kg Static Load

mugen
MF1 PRO-E 7,5 kW
1,0 M-800 KG

VERİM TABLOSU	
HIZ/SPEED	VERİM/YIELD
1	0,75

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(Kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Seyir Mesafesi Cruising Range	Makine Ağırlığı Machine Weight
MF PRO E	1,00	400	5,5 kW	425*5*10	13,0	67/2	30 m	160
MF PRO E	1,00	500	7,5 kW	425*5*10	17,0	67/2	30 m	170
MF PRO E	1,00	630	5,5 kW	425*5*10	13,0	67/2	21 m	160
MF PRO E	1,00	800	7,5 kW	425*5*10	17,0	67/2	21 m	170



mugen
MF1-7,5 kW
1,0 M-800 KG




21-30 Metre Seyir Mesafesi
21-30 Meters Cruising Range
1:1 Askı

1:1 Suspension
3500 kg Statik Yük
3500 kg Static Load

VERİM TABLOSU	
HIZ/SPEED	VERİM/YIELD
1	0,75





Ürün Product	Hız (m/s) Speed (m/	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Makine Ağırlığı Machine Weight
MF1	1,00	400	5,5 kW	425*5*10	13,0	67/2	175
MF1	1,00	500	7,5 kW	425*5*10	17,0	67/2	190
MF1	1,00	630	5,5 kW	425*5*10	13,0	67/2	175
MF1	1,00	800	7,5 kW	425*5*10	17,0	67/2	190








21-30 Metre Seyir Mesafesi
21-30 Meters Cruising Range
1:1 Askı
1:1 Suspension
3500 kg Statik Yük
3500 kg Static Load

VERİM TABLOSU	
HIZ/SPEED	VERİM/YIELD
0,63	0,67
0,71	0,67
1	0,73



mugen
MF2-7,5 kW
1,0 M-800 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Makine Ağırlığı Machine Weight
MF2	0,63	630	5,5 kW	400*5*10	13,0	47/1	210
MF2	0,63	800	7,5 kW	400*6*10	17,0	47/1	225
MF2	0,63	800	5,5 kW	400*5*10	13,0	47/1	210
MF2	0,63	1000	7,5 kW	400*6*10	17,0	47/1	225
MF2	0,71	560	5,5 kW	480*5*10	13,0	52/1	225
MF2	0,71	750	7,5 kW	480*6*10	17,0	52/1	230
MF2	0,71	800	5,5 kW	480*5*10	13,0	52/1	225
MF2	0,71	1000	7,5 kW	480*6*10	17,0	52/1	230
MF2	1,00	400	5,5 kW	480*5*10	13,0	38/1	225
MF2	1,00	500	7,5 kW	480*5*10	17,0	38/1	230
MF2	1,00	630	5,5 kW	480*5*10	13,0	38/1	225
MF2	1,00	800	7,5 kW	480*5*10	17,0	38/1	230
M2	0,63 TEK HIZ	320	3,5 HP	480*4*10	8,0	58/2	220
M2	1,00-0,25	480	5,5 HP	480*5*10	9,5/6,5	38/1	225
M2	1,00-0,25	500	6,2 HP	480*5*10	11,5/6,8	38/1	250
M2	1,00-0,25	720	8,2 HP	480*5*10	14/8,5	38/1	270
M2	1,00-0,25	880	10,5 HP	480*5*10	18,5/15,0	38/1	290
M2	0,80-0,20	560	5,5 HP	550*5*10	9,5/6,5	55/1	210
M2	0,71-0,17	630	5,5 HP	480*5*10	9,5/6,5	52/1	225
M2	0,71-0,17	700	6,2 HP	480*5*10	11,5/6,8	52/1	250
M2	0,71-0,17	900	8,2 HP	480*5*10	14/8,5	52/1	270
M2	0,71-0,17	1000	10,5 HP	480*6*10	18,5/15,0	52/1	290
M2	0,63-0,15	700	5,5 HP	400*5*10	9,5/6,5	47/1	210
M2	0,63-0,15	800	6,2 HP	400*5*10	11,5/6,8	47/1	245
M2	0,63-0,15	1000	8,2 HP	400*6*10	14/8,5	47/1	265



33 Metre Seyir Mesafesi
33 Meters Cruising Range

1:1 Askı

1:1 Suspension

3500 kg Statik Yük





3500 kg Static Load

VERİM TABLOSU

HIZ/SPEED	VERİM/YIELD
0,63	0,67
0,71	0,67
1	0,73

volpi/
VOLPI VF2-7,5 kW
1,0 M-800 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Makine Ağırlığı Machine Weight
VF2	0,63	800	5,5 kW	400*5*10	14,4	47/1	225
VF2	0,63	1000	7,5 kW	400*6*10	17,0	47/1	235
VF2	0,71	800	5,5 kW	480*5*10	14,4	52/1	225
VF2	0,71	1000	7,5 kW	480*6*10	17,0	52/1	235
VF2	1	630	5,5 kW	480*5*10	14,4	38/1	225
VF2	1	800	7,5 kW	480*5*10	17,0	38/1	235



volpi
VF3-9,0 kW
1,0 M-1125 KG







33 Metre Seyir Mesafesi
33 Meters Cruising Range
1:1 Askı
1:1 Suspension
3500 kg Statik Yük
3500 kg Static Load

VERİM TABLOSU

HIZ/SPEED	VERİM/YIELD
1	0,73
1,2	0,73
1,6	0,78
2	0,78
2,4	0,81
3,2	0,81

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Makine Ağırlığı Machine Weight
VF3	1,00	1125	9,0 kW	500*6*10	19,5	39/1	295
VF3	1,00	1440	11,0 kW	500*7*10	22,0	39/1	315
VF3	1,00	1500	15 kW	500*7*10	31,00	39/1	350
VF3	1,20	600	5,5 kW	620*5*10	14,4	39/1	285
VF3	1,20	800	7,5 kW	620*5*10	17,0	39/1	295
VF3	1,20	960	9,0 kW	620*6*10	19,5	39/1	305
VF3	1,20	1125	11,0 kW	620*6*10	22,0	39/1	325
VF3	1,20	1440	15 kW	620*6*10	31,0	39/1	365
VF3	1,60	500	5,5 kW	500*5*10	14,4	49/2	275
VF3	1,60	680	7,5 kW	500*5*10	17,0	49/2	285
VF3	1,60	800	9,0 kW	500*5*10	19,5	49/2	295
VF3	1,60	1000	11,0 kW	500*6*10	22,0	49/2	315
VF3	1,60	1300	15 kW	500*6*10	31,0	49/2	350
VF3	2,00	400	5,5 kW	620*5*10	14,4	49/2	285
VF3	2,00	550	7,5 kW	620*5*10	17,0	49/2	295
VF3	2,00	630	9,0 kW	620*5*10	19,5	49/2	305
VF3	2,00	800	11,0 kW	620*5*10	22,0	49/2	325
VF3	2,00	1050	15 kW	620*6*10	31,0	49/2	365
VF3	2,40	320	5,5 kW	500*5*10	14,4	46/3	275
VF3	2,40	400	7,5 kW	500*5*10	17,0	46/3	285
VF3	2,40	525	9,0 kW	500*5*10	19,5	46/3	295
VF3	2,40	640	11,0 kW	500*5*10	22,0	46/3	315
VF3	2,40	880	15 kW	500*6*10	31,0	46/3	350
VF3	3,20	320	7,5 kW	620*5*10	17,0	46/3	295
VF3	3,20	450	9,0 kW	620*5*10	19,5	46/3	305
VF3	3,20	525	11,0 kW	620*5*10	22,0	46/3	325
VF3	3,20	720	15 kW	620*5*10	31,0	46/3	365



33-51 Metre Seyir Mesafesi
33-51 Meters Cruising Range

1:1 Askı

1:1 Suspension

3500 kg Statik Yük


3500 kg Static Load

VERİM TABLOSU





HIZ/SPEED	VERİM/YIELD
0,63	0,67
0,71	0,67
1	0,73
1,6	0,73

volpi
VOLPI VF2X-7,5 kW
1,0 M-800 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(Kg) Capacity (kg)	Güç (kW) Power (kW)	Kasnak Pulley	Amper Ampere	Tahvil Oranı Ratio	Makine Ağırlığı Machine Weight
VF2X	0,63	700	4,0 Kw	400*5*10	10,5	47/1	220
VF2X	0,63	800	5,5 kW	400*5*10	13,5	47/1	230
VF2X	0,63	1000	7,5 kW	400*6*10	17,5	47/1	245
VF2X	0,71	630	4,0 Kw	480*5*10	10,5	52/1	225
VF2X	0,71	800	5,5 kW	480*5*10	13,5	52/1	235
VF2X	0,71	1000	7,5 kW	480*6*10	17,5	52/1	250
VF2X	1,00	450	4,0 Kw	480*5*10	10,5	38/1	225
VF2X	1,00	630	5,5 kW	480*5*10	13,5	38/1	235
VF2X	1,00	800	7,5 kW	480*5*10	17,5	38/1	250
VF2X	1,60	320	4,0 Kw	480*4*10	10,5	48/2	225
VF2X	1,60	450	5,5 kW	480*4*10	13,5	48/2	235
VF2X	1,60	630	7,5 kW	480*5*10	17,5	48/2	250
V2X	0,63 TEK HIZ	320	3,5 HP	480*4*10	8,0	58/2	225
V2X	1,00-0,25	480	5,5 HP	480*5*10	9,5/6,5	38/1	245
V2X	1,00-0,25	500	6,2 HP	480*5*10	11,5/6,8	38/1	260
V2X	1,00-0,25	720	8,2 HP	480*5*10	14/8,5	38/1	280
V2X	1,00-0,25	880	10,5 HP	480*5*10	18,5/15,0	38/1	300
V2X	0,80-0,20	560	5,5 HP	550*5*10	9,5/6,5	55/1	245
V2X	0,71-0,17	630	5,5 HP	480*5*10	9,5/6,5	52/1	245
V2X	0,71-0,17	700	6,2 HP	480*5*10	11,5/6,8	52/1	260
V2X	0,71-0,17	900	8,2 HP	480*5*10	14/8,5	52/1	280
V2X	0,71-0,17	1000	10,5 HP	480*6*10	18,5/15,0	52/1	300
V2X	0,63-0,15	700	5,5 HP	400*5*10	9,5/6,5	47/1	255
V2X	0,63-0,15	800	6,2 HP	400*5*10	11,5/6,8	47/1	265
V2X	0,63-0,15	1000	8,2 HP	400*6*10	14/8,5	47/1	280



Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(Kg) Capacity (kg)	Güç (kW) Power (kW)	Kasnak Pulley	Amper Ampere	Tahvil Oranı Ratio	Makine Ağırlığı Machine Weight
VF3X	1,00	1125	9,0 kW	500*6*10	21,0	39/1	315
VF3X	1,00	1440	11,0 kW	500*7*10	23,0	39/1	350
VF3X	1,00	1500	15 Kw	500*7*10	31,00	39/1	355
VF3X	1,20	600	5,5 kW	620*5*10	13,5	39/1	295
VF3X	1,20	800	7,5 kW	620*5*10	17,5	39/1	305
VF3X	1,20	960	9,0 kW	620*6*10	21,0	39/1	325
VF3X	1,20	1125	11,0 kW	620*6*10	23,0	39/1	365
VF3X	1,20	1400	15 Kw	620*6*10	31,00	39/1	370
VF3X	1,60	800	9,0 kW	500*5*10	21,0	49/2	315
VF3X	1,60	1000	11,0 kW	500*6*10	23,0	49/2	350
VF3X	1,60	1300	15 Kw	500*6*10	31,00	49/2	355
VF3X	2,00	400	5,5 kW	620*5*10	13,5	49/2	295
VF3X	2,00	550	7,5 kW	620*5*10	17,5	49/2	305
VF3X	2,00	630	9,0 kW	620*5*10	21,0	49/2	325
VF3X	2,00	800	11,0 kW	620*6*10	23,0	49/2	365
VF3X	2,00	1050	15 Kw	620*6*10	31,0	49/2	370
VF3X	2,40	320	5,5 kW	500*5*10	13,5	46/3	285
VF3X	2,40	400	7,5 kW	500*5*10	17,5	46/3	295
VF3X	2,40	525	9,0 kW	500*5*10	21,0	46/3	315
VF3X	2,40	640	11,0 kW	500*5*10	23,0	46/3	350
VF3X	2,40	880	15 Kw	500*6*10	31,0	46/3	355
VF3X	3,20	320	7,5 kW	620*5*10	17,5	46/3	305
VF3X	3,20	450	9,0 kW	620*5*10	21,0	46/3	325
VF3X	3,20	525	11,0 kW	620*5*10	23,0	46/3	365
VF3X	3,20	720	15 Kw	620*5*10	31,0	46/3	370
V3X	1,00-0,25	1000	10,5 HP	500*6*10	18,5/15,0	39/1	375
V3X	1,00-0,25	1200	12,5 HP	500*6*10	20,5/15,0	39/1	385
V3X	1,00-0,25	1350	14 HP	500*6*10	22,5/12,0	39/1	395
V3X	1,00-0,25	1400	16 HP	500*7*10	25,0/17,0	39/1	405



33-11 Metre Seyir Mesafesi
33-11 Meters Cruising Range

1:1 Askı

1:1 Suspension

1500 kg Statik Yük




1500 kg Static Load

AKIS
Z 40-1,5 HP

VERİM TABLOSU


HIZ/SPEED	VERİM/YIELD
0,27	0,61

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Makine Ağırlığı Machine Weight
Z40	0,27	150	1,5HP/1,1K	240*2*6,5	2,9	41/1	50
Z40	0,27	100	1,5HP/1,1K	240 lık	2,9	41/1	55
Z40	0,27	100	1,5HP/1,1K	240 lık	2,9	41/1	60
Z40	0,27	100	1,5HP/1,1K	240 lık	2,9	41/1	60
Z40	0,27	100	1,5HP/1,1K	240 lık	2,9	41/1	65



33-11 Metre Seyir Mesafesi
33-11 Meters Cruising Range
1:1 Askı
1:1 Suspension
2500 kg Statik Yük
2500 kg Static Load





VERİM TABLOSU	
HIZ/SPEED	VERİM/YIELD
0,46	0,63
0,58	0,63
1	0,70



AKIS
Z60 - 4,0 HP



Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Ratio	Makine Ağırlığı Machine Weight
Z60	1,00	320	4,0 kW	400*4*10	8,40	62/2	130
Z60	0,58	400	4HP/3kW	400*4*10	6,7	54/1	125
Z60	0,46	500	4HP/3kW	320*3*8	6,7	54/1	120
Z60	0,46	250	4HP/3kW	320 lik	6,7	54/1	125
Z60	0,46	250	4HP/3kW	320 lik	6,7	54/1	135
Z60	0,46	250	4HP/3kW	320 lik	6,7	54/1	140
Z60	0,46	250	4HP/3kW	320 lik	6,7	54/1	150



51-33 Metre Seyir Mesafesi
51-33 Meters Cruising Range

1:1 Askı

1:1 Suspension

7000 kg Statik Yük





7000 kg Static Load

VERİM TABLOSU

HIZ/SPEED	VERİM/YIELD
1	0,74
1,6	0,77

AKIS
ZF 82-7,50 kW
1,0 M

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Makine Ağırlığı Machine Weight
ZF82	1,00	450	4,0 kW	480*5*10	10,50	38/1	285
ZF82	1,00	630	5,5 kW	480*5*10	13,50	38/1	290
ZF82	1,00	800	7,5 kW	480*5*10	17,50	38/1	310
ZF82	1,60	320	4,0 kW	480*4*10	10,50	48/2	285
ZF82	1,60	450	5,5 kW	480*5*10	13,50	48/2	290
ZF82	1,60	630	7,5 kW	480*5*10	17,50	48/2	310
Z82	1,00-0,25	450	5,5 HP	480*5*10	9,5/6,5	38/1	315
Z82	1,00-0,25	525	6,2 HP	480*5*10	11,5/6,8	38/1	325
Z82	1,00-0,25	630	8,2 HP	480*5*10	14,0/8,5	38/1	340
Z82	1,00-0,25	960	10,5 HP	480*5*10	18,5/11,5	38/1	350



51-33 Metro Seyir Mesafesi
51-33 Meters Cruising Range

1:1 Askı

1:1 Suspension

9000 kg Statik Yük





9000 kg Static Load

VERİM TABLOSU

HIZ/SPEED	VERİM/YIELD
1	0,73
1,2	0,73
1,6	0,78
2	0,78
2,4	0,81
3,2	0,81

AKIS
ZF 102 - 9,0 kW
1,0 M

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Ratio	Makine Ağırlığı Machine Weight
ZF102	1,00	1000	7,5 kW	500*6*10	17,50	39/1	335
ZF102	1,00	1125	9,0 kW	500*6*10	21,00	39/1	345
ZF102	1,00	1440	11,0 kW	500*7*10	23,00	39/1	365
ZF102	1,00	1500	15,0 kW	500*7*10	31,00	39/1	370
ZF102	1,20	600	5,5 kW	620*5*10	13,50	39/1	345
ZF102	1,20	800	7,5 kW	620*6*10	17,50	39/1	350
ZF102	1,20	960	9,0 kW	620*6*10	21,00	39/1	360
ZF102	1,20	1125	11,0 kW	620*6*10	23,00	39/1	375
ZF102	1,20	1400	15,0 kW	620*6*10	31,00	39/1	385
ZF102	1,60	500	5,5 kW	500*5*10	13,50	49/2	345
ZF102	1,60	680	7,5 kW	500*5*10	17,50	49/2	350
ZF102	1,60	800	9,0 kW	500*5*10	21,00	49/2	345
ZF102	1,60	1000	11,0 kW	500*6*10	23,00	49/2	365
ZF102	1,60	1300	15,0 kW	500*6*10	31,00	49/2	370
ZF102	2,00	400	5,5 kW	620*4*10	13,50	49/2	345
ZF102	2,00	550	7,5 kW	620*5*10	17,50	49/2	350
ZF102	2,00	630	9,0 kW	620*5*10	21,00	49/2	360
ZF102	2,00	800	11,0 kW	620*6*10	23,00	49/2	375
ZF102	2,00	1050	15,0 kW	620*6*10	31,00	49/2	385
ZF102	2,40	320	5,5 kW	500*4*10	13,50	46/3	320
ZF102	2,40	400	7,5 kW	500*5*10	17,50	46/3	335
ZF102	2,40	525	9,0 kW	500*5*10	21,00	46/3	345
ZF102	2,40	640	11,0 kW	500*5*10	23,00	46/3	365
ZF102	2,40	880	15,0 kW	500*6*10	31,00	46/3	370
ZF102	3,20	320	7,5 kW	620*4*10	17,50	46/3	350
ZF102	3,20	450	9,0 kW	620*4*10	21,00	46/3	360
ZF102	3,20	525	11,0 kW	620*5*10	23,00	46/3	375
ZF102	3,20	720	15,0 kW	620*5*10	31,00	46/3	385
Z102	1,00-0,25	800	8,2 HP	500*5*10	14,0/8,5	39/1	340
Z102	1,00-0,25	1000	10,5 HP	500*6*10	18,5/11,5	39/1	360
Z102	1,00-0,25	1200	12,5 HP	500*6*10	20,5/15,00	39/1	385
Z102	1,00-0,25	1350	14,0 HP	500*6*10	22,5/12,0	39/1	395
Z102	1,00-0,25	1400	16,0 HP	500*7*10	25,0/17,0	39/1	405




51-33 Metro Seyir Mesafesi
51-33 Meters Cruising Range
1:1 Askı
1:1 Suspension
244000 kg Statik Yük
24000 kg Static Load

VERİM TABLOSU	
HIZ/SPEED	VERİM/YIELD
1	0,73
1,2	0,73
1,6	0,80
2	0,80
2,4	0,81
3,2	0,83

AKIS
ZF 112-15,0 kW
1,0 M

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Rotio	Makine Ağırlığı Machine Weight
ZF112	1,00	1840	11,0 kW	580*9*10	23,00	46/1	700
ZF112	1,00	2480	15,0 kW	580*8*12	31,00	46/1	720
ZF112	1,00	3075	18,5 kW	580*10*12	38,80	46/1	745
ZF112	1,00	3680	22,0 kW	580*9*14	44,20	46/1	770
ZF112	1,20	1520	11,0 kW	700*7*10	23,00	46/1	710
ZF112	1,20	2080	15,0 kW	700*10*10	31,00	46/1	730
ZF112	1,20	2560	18,5 kW	700*8*12	38,80	46/1	755
ZF112	1,20	3040	22,0 kW	700*10*12	44,20	46/1	780
ZF112	1,60	1200	11,0 kW	580*6*10	23,00	55/2	700
ZF112	1,60	1650	15,0 kW	580*8*10	31,00	55/2	720
ZF112	1,60	2025	18,5 kW	580*10*10	38,80	55/2	745
ZF112	1,60	2400	22,0 kW	580*8*12	44,20	55/2	770
ZF112	2,00	960	11,0 kW	700*6*10	23,00	55/2	710
ZF112	2,00	1360	15,0 kW	700*6*10	31,00	55/2	730
ZF112	2,00	1680	18,5 kW	700*8*10	38,80	55/2	755
ZF112	2,00	2000	22,0 kW	700*9*10	44,20	55/2	780
ZF112	2,40	750	11,0 kW	580*5*10	23,00	51/3	700
ZF112	2,40	1050	15,0 kW	580*6*10	31,00	51/3	720
ZF112	2,40	1280	18,5 kW	580*6*10	38,80	51/3	745
ZF112	2,40	1575	22,0 kW	580*8*10	44,20	51/3	770
ZF112	3,20	640	11,0 kW	700*5*10	23,00	51/3	710
ZF112	3,20	880	15,0 kW	700*6*10	31,00	51/3	730
ZF112	3,20	1050	18,5 kW	700*6*10	38,80	51/3	755
ZF112	3,20	1280	22,0 kW	700*6*10	44,20	51/3	780
Z112	1,00-0,25	1725	14,0 HP	580*8*10	22,5/12,0	46/1	740
Z112	1,00-0,25	1950	16,0 HP	580*9*10	25,0/17,0	46/1	750
Z112	1,00-0,25	2475	20,0 HP	580*8*12	31,0/21,0	46/1	760



Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Tahvil Oranı Ratio	Makine Ağırlığı Machine Weight
ZF142	1,00	4880	18,5 kW	700*12*14	38,80	55/1	1350
ZF142	1,00	5775	22,0 kW	700*14*14	44,20	55/1	1370
ZF142	1,00	6880	30,0 kW	700*12*16	60,00	55/1	1400
ZF142	1,00	9750	37,0 kW	700*16*16	72,00	55/1	1430
ZF142	1,20	3900	18,5 kW	875*10*14	38,80	55/1	1360
ZF142	1,20	4640	22,0 kW	875*11*14	44,20	55/1	1380
ZF142	1,20	5475	30,0 kW	875*13*14	60,00	55/1	1410
ZF142	1,20	7800	37,0 kW	875*14*16	72,00	55/1	1440
ZF142	1,60	3225	18,5 kW	700*10*12	38,80	69/2	1350
ZF142	1,60	3840	22,0 kW	700*12*12	44,20	69/2	1370
ZF142	1,60	5250	30,0 kW	700*12*14	60,00	69/2	1400
ZF142	1,60	6480	37,0 kW	700*14*14	72,00	69/2	1430
ZF142	2,00	2560	18,5 kW	875*9*12	38,80	69/2	1360
ZF142	2,00	3040	22,0 kW	875*10*12	44,20	69/2	1380
ZF142	2,00	4200	30,0 kW	875*10*14	60,00	69/2	1410
ZF142	2,00	5200	37,0 kW	875*12*14	72,00	69/2	1440
ZF142	2,40	2175	18,5 kW	700*10*10	38,80	65/3	1350
ZF142	2,40	2560	22,0 kW	700*9*12	44,20	65/3	1370
ZF142	2,40	3525	30,0 kW	700*9*14	60,00	65/3	1400
ZF142	2,40	4350	37,0 kW	700*10*14	72,00	65/3	1430
ZF142	3,20	1725	18,5 kW	875*9*10	38,80	65/3	1360
ZF142	3,20	2025	22,0 kW	875*10*10	44,20	65/3	1380
ZF142	3,20	2800	30,0 kW	875*10*12	60,00	65/3	1410
ZF142	3,20	3450	37,0 kW	875*9*14	72,00	65/3	1440
Z142	1,00-0,25	3840	20,0 HP	700*9*14	31,0/21,0	46/1	1350

GEARLESS MACHINES






Speed: 0,63-2,50 m/s


Capacity: 320-3.500 kg

Cruising Range: 33-51 meter









33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load



volpi
VOLPI MRL1
1,0 M-320 KG



Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(Kg) Capacity (kg)	KW	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPİ MRL 1	0,63	320	1,2	210X5X6,5	3,7	20P- 19.16	115	103	155
VOLPİ MRL 1	1,00		2,0		5,2	20P-30.33	182		
VOLPİ MRL 1	1,60		3,1		7,8	20P-48,5	291		
VOLPİ MRL 1	2,00		3,9		9,8	20P-60,66	364		
VOLPİ MRL 1	2,50		4,9		12,2	20P-75,79	455		
VOLPİ MRL 1	0,63	400	1,5	210X5X6,5	4,7	20P- 19.16	115	129	
VOLPİ MRL 1	1,00		2,4		6,5	20P-30.33	182		
VOLPİ MRL 1	1,60		3,9		9,8	20P-48,5	291		
VOLPİ MRL 1	2,00		4,9		12,2	20P-60,66	364		
VOLPİ MRL 1	2,50		6,1		15,3	20P-75,79	455		
VOLPİ MRL 1	0,63	320	1,2	240X4X6,5	3,7	20-16,66	100	118	155
VOLPİ MRL 1	1,00		2,0		5,2	20P-26,53	159		
VOLPİ MRL 1	1,60		3,1		7,8	20P-42,44	255		
VOLPİ MRL 1	2,00		3,9		9,8	20P-53,05	318		
VOLPİ MRL 1	2,50		4,9		12,2	20P-66,31	398		




33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

volpi
VOLPİ MRL-2
1 M-630 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPİ MRL 2	0,63	480	1,9	210X6X6,5	5,6	20P- 19.16	115	155	175
VOLPİ MRL 2	1,00		2,9		7,8	20P-30.33	182		
VOLPİ MRL 2	1,60		4,7		11,8	20P-48,5	291		
VOLPİ MRL 2	2,00		5,9		14,7	20P-60,66	364		
VOLPİ MRL 2	2,50		7,3		18,4	20P-75,79	455		
VOLPİ MRL 2	0,63	630	2,4	210X7X6,5	7,4	20P- 19.16	115	203	175
VOLPİ MRL 2	1,00		3,9		10,2	20P-30.33	182		
VOLPİ MRL 2	1,60		6,2		15,4	20P-48,5	291		
VOLPİ MRL 2	2,00		7,7		19,3	20P-60,66	364		
VOLPİ MRL 2	2,50		9,6		24,1	20P-75,79	455		
VOLPİ MRL 2	0,63	800	3,1	210x8X6,5	9,4	20P- 19.16	115	258	175
VOLPİ MRL 2	1,00		4,9		13,0	20P-30.33	182		
VOLPİ MRL 2	1,60		7,8		19,6	20P-48,5	291		
VOLPİ MRL 2	2,00		9,8		24,5	20P-60,66	364		
VOLPİ MRL 2	2,50		12,2		30,6	20P-75,79	455		
VOLPİ MRL 2	0,63	400	1,5	240X4X6,5	4,7	20-16,66	100	147	175
VOLPİ MRL 2	1,00		2,4		6,5	20P-26,53	159		
VOLPİ MRL 2	1,60		3,9		9,8	20P-42,44	255		
VOLPİ MRL 2	2,00		4,9		12,2	20P-53,05	318		
VOLPİ MRL 2	2,50		6,1		15,3	20P-66,31	398		
VOLPİ MRL 2	0,63	480	1,9	240x5x6,5	5,6	20-16,66	100	176	175
VOLPİ MRL 2	1,00		2,9		7,8	20P-26,53	159		
VOLPİ MRL 2	1,60		4,7		11,8	20P-42,44	255		
VOLPİ MRL 2	2,00		5,9		14,7	20P-53,05	318		
VOLPİ MRL 2	2,50		7,3		18,4	20P-66,31	398		
VOLPİ MRL 2	0,63	630	2,4	240x6x6,5	7,4	20-16,66	100	227	175
VOLPİ MRL 2	1,00		3,9		10,2	20P-26,53	159		
VOLPİ MRL 2	1,60		6,2		15,4	20P-42,44	255		
VOLPİ MRL 2	2,00		7,7		19,3	20P-53,05	318		
VOLPİ MRL 2	2,50		9,6		24,1	20P-66,31	398		
VOLPİ MRL 2	0,63	800	3,1	240X7X6,5	9,4	20-16,66	100	294	175
VOLPİ MRL 2	1,00		4,9		13,0	20P-26,53	159		
VOLPİ MRL 2	1,60		7,8		19,6	20P-42,44	255		
VOLPİ MRL 2	2,00		9,8		24,5	20P-53,05	318		
VOLPİ MRL 2	2,50		12,2		30,6	20P-66,31	398		


Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPİ MRL 2	0,63	320	1,2	320x4x8	4,4	20P 12,66	76	157	215
VOLPİ MRL 2	1,00		2,0		5,9	20P-19,89	120		
VOLPİ MRL 2	1,60		3,1		8,3	20P-31,83	191		
VOLPİ MRL 2	2,00		3,9		9,8	20P-39,66	238		
VOLPİ MRL 2	2,50		4,9		12,2	20P-49,74	298		
VOLPİ MRL 2	0,63	400	1,5	320x4x8	5,5	20P 12,66	76	196	215
VOLPİ MRL 2	1,00		2,4		7,4	20P-19,89	120		
VOLPİ MRL 2	1,60		3,9		10,4	20P-31,83	191		
VOLPİ MRL 2	2,00		4,9		12,2	20P-39,66	238		
VOLPİ MRL 2	2,50		6,1		15,3	20P-49,74	298		
VOLPİ MRL 2	0,63	480	1,9	320x4x8	6,6	20P 12,66	76	235	215
VOLPİ MRL 2	1,00		2,9		8,9	20P-19,89	120		
VOLPİ MRL 2	1,60		4,7		12,5	20P-31,83	191		
VOLPİ MRL 2	2,00		5,9		14,7	20P-39,66	238		
VOLPİ MRL 2	2,50		7,3		18,4	20P-49,74	298		
VOLPİ MRL 2	0,63	630	2,4	320x5x8	8,6	20P 12,66	76	309	215
VOLPİ MRL 2	1,00		3,9		11,7	20P-19,89	120		
VOLPİ MRL 2	1,60		6,2		16,4	20P-31,83	191		
VOLPİ MRL 2	2,00		7,7		19,3	20P-39,66	239		
VOLPİ MRL 2	2,50		9,6		24,1	20P-49,74	298		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

volpi
VOLPİ MRL-3
1,0 M-800 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPİ MRL 3	0,63	1000	3,9	210X10X6,5	11,7	20P- 19,16	115	322	210
VOLPİ MRL 3	1,00		6,1		16,3	20P- 19,16	115		
VOLPİ MRL 3	1,60		9,8		24,5	20P-30,33	182		
VOLPİ MRL 3	2,00		12,2		30,6	20P-30,33	182		
VOLPİ MRL 3	2,50		15,3		38,3	20P-48,5	291		
VOLPİ MRL 3	0,63	1275	4,9	210X11X6,5	14,9	20P-48,5	291	410	210
VOLPİ MRL 3	1,00		7,8		20,7	20P-60,66	364		
VOLPİ MRL 3	1,60		12,5		31,2	20P-60,66	364		
VOLPİ MRL 3	2,00		15,6		39,0	20P-75,79	455		
VOLPİ MRL 3	2,50		19,5		48,8	20P-75,79	455		
VOLPİ MRL 3	0,63	1000	3,9	240X8X6,5	11,7	20-16,66	100	368	210
VOLPİ MRL 3	1,00		6,1		16,3	20-16,66	100		
VOLPİ MRL 3	1,60		9,8		24,5	20P-26,53	159		
VOLPİ MRL 3	2,00		12,2		30,6	20P-26,53	159		
VOLPİ MRL 3	2,50		15,3		38,3	20P-42,44	255		
VOLPİ MRL 3	0,63	1275	4,9	240X9X6,5	31,2	20P-42,44	255	469	210
VOLPİ MRL 3	1,00		7,8		30,6	20P-53,05	318		
VOLPİ MRL 3	1,60		12,5		39,0	20P-53,05	318		
VOLPİ MRL 3	2,00		15,6		38,3	20P-66,31	398		
VOLPİ MRL 3	2,50		19,5		48,8	20P-66,31	398		
VOLPİ MRL 3	0,63	800	3,1	320X5X8	10,9	20P 12,66	76	392	215
VOLPİ MRL 3	1,00		4,9		14,9	20P-19,89	120		
VOLPİ MRL 3	1,60		7,8		20,8	20P-31,83	191		
VOLPİ MRL 3	2,00		9,8		24,5	20P-39,66	238		
VOLPİ MRL 3	2,50		12,2		30,6	20P-49,74	298		







33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

volpi
VOLPI MRL-4
1,0 M-1000 KG







Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL 4	0,63	1600	6,2	210X13X6,5	18,7	20P- 19,16	115	515	270
VOLPI MRL 4	1,00		9,8		26,0	20P-30,33	182		
VOLPI MRL 4	1,60		15,7		39,2	20P-48,5	291		
VOLPI MRL 4	2,00		19,6		49,0	20P-60,66	364		
VOLPI MRL 4	2,50		24,5		61,2	20P-75,79	455		
VOLPI MRL 4	0,63	1600	6,2	240X11X6,5	18,7	20-16,66	100	589	270
VOLPI MRL 4	1,00		9,8		26,0	20P-26,53	159		
VOLPI MRL 4	1,60		15,7		39,2	20P-42,44	255		
VOLPI MRL 4	2,00		19,6		49,0	20P-53,05	318		
VOLPI MRL 4	2,50		24,5		61,2	20P-66,31	398		
VOLPI MRL 4	0,63	1000	3,9	320X6X8	13,7	20P 12,66	76	491	275
VOLPI MRL 4	1,00		6,1		17,4	20P 12,66	76		
VOLPI MRL 4	1,60		9,8		18,6	20P-19,89	120		
VOLPI MRL 4	2,00		12,2		23,7	20P-19,89	120		
VOLPI MRL 4	2,50		15,3		26,0	20P-31,83	191		
VOLPI MRL 4	0,63	1275	4,9	320X7X8	33,2	20P-31,83	191	625	275
VOLPI MRL 4	1,00		7,8		30,6	20P-39,66	238		
VOLPI MRL 4	1,60		12,5		39,0	20P-39,66	239		
VOLPI MRL 4	2,00		15,6		38,3	20P-49,74	298		
VOLPI MRL 4	2,50		19,5		48,8	20P-49,74	298		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load


volpi
VOLPI MRL-5
1,0 M-1600 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL 5	0,63	1600	6,2	320X9X8	21,9	20P 12,66	76	785	310
VOLPI MRL 5	1,00		9,8		29,7	20P-19,89	120		
VOLPI MRL 5	1,60		15,7		41,6	20P-31,83	191		
VOLPI MRL 5	2,00		19,6		49,0	20P-39,66	239		
VOLPI MRL 5	2,50		24,5		61,2	20P-49,74	298		








33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

volpi
VOLPI MRL 2-2
1,0 M-800 KG







Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL 2-2	0,63	630	2,4	320X6X8	8,6	20P-12,53	75	309	240
VOLPI MRL 2-2	1,00		3,9		11,7	20P-19,9	119		
VOLPI MRL 2-2	1,60		6,2		16,4	20P-31,83	191		
VOLPI MRL 2-2	2,00		7,7		19,3	20P-39,79	239		
VOLPI MRL 2-2	2,50		9,6		24,1	20P-49,74	298		
VOLPI MRL 2-2	0,63	800	3,1	320X7X8	10,9	20P-12,53	75	392	240
VOLPI MRL 2-2	1,00		4,9		14,9	20P-19,9	119		
VOLPI MRL 2-2	1,60		7,8		20,8	20P-31,83	191		
VOLPI MRL 2-2	2,00		9,8		26,0	20P-39,79	239		
VOLPI MRL 2-2	2,50		12,2		30,2	20P-49,74	298		
VOLPI MRL 2-2	0,63	1000	3,9	320X8X8	13,7	20P-12,53	75	491	240
VOLPI MRL 2-2	1,00		6,1		19,6	20P-19,9	119		
VOLPI MRL 2-2	1,60		9,8		26,0	20P-31,83	191		
VOLPI MRL 2-2	2,00		12,2		30,6	20P-39,79	239		
VOLPI MRL 2-2	2,50		15,3		38,3	20P-49,74	298		
VOLPI MRL 2-2	0,63	630	2,4	360X5X8	8,6	20P-11,14	67	348	250
VOLPI MRL 2-2	1,00		3,9		11,7	20P-17,68	106		
VOLPI MRL 2-2	1,60		6,2		16,4	20P-28,29	170		
VOLPI MRL 2-2	2,00		7,7		19,3	20P-35,37	212		
VOLPI MRL 2-2	2,50		9,6		24,1	20P-44,21	265		
VOLPI MRL 2-2	0,63	800	3,1	360X6X8	10,9	20P-11,14	67	441	250
VOLPI MRL 2-2	1,00		4,9		14,9	20P-17,68	106		
VOLPI MRL 2-2	1,60		7,8		20,8	20P-28,29	170		
VOLPI MRL 2-2	2,00		9,8		26,0	20P-35,37	212		
VOLPI MRL 2-2	2,50		12,2		30,2	20P-44,21	265		
VOLPI MRL 2-2	0,63	630	2,4	400X4X10	8,6	20P-10,03	60	386	260
VOLPI MRL 2-2	1,00		3,9		13,7	20P-15,92	95		
VOLPI MRL 2-2	1,60		6,2		16,4	20P-25,46	153		
VOLPI MRL 2-2	2,00		7,7		20,5	20P-31,83	191		
VOLPI MRL 2-2	2,50		9,6		24,1	20P-39,8	239		
VOLPI MRL 2-2	0,63	800	3,1	400X5X10	10,9	20P-10,03	60	491	260
VOLPI MRL 2-2	1,00		4,9		14,9	20P-15,92	95		
VOLPI MRL 2-2	1,60		7,8		20,8	20P-25,46	153		
VOLPI MRL 2-2	2,00		9,8		26,0	20P-31,83	191		
VOLPI MRL 2-2	2,50		12,2		30,2	20P-39,8	239		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

volpi
VOLPİ MRL_2-3
1,0 M-1000 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPİ MRL 2-3	0,63	1275	4,9	320X10X8	17,4	20P-12,53	75	625	290
VOLPİ MRL 2-3	1,00		7,8		23,7	20P-19,9	119		
VOLPİ MRL 2-3	1,60		12,5		32,7	20P-31,83	191		
VOLPİ MRL 2-3	2,00		15,6		39,0	20P-39,79	239		
VOLPİ MRL 2-3	2,50		19,5		48,8	20P-49,74	298		
VOLPİ MRL 2-3	0,63	1600	6,2	320X11X8	21,9	20P-12,53	75	785	290
VOLPİ MRL 2-3	1,00		9,8		29,7	20P-19,9	119		
VOLPİ MRL 2-3	1,60		15,7		41,6	20P-31,83	191		
VOLPİ MRL 2-3	2,00		19,6		49,0	20P-39,79	239		
VOLPİ MRL 2-3	2,50		24,5		61,2	20P-49,74	298		
VOLPİ MRL 2-3	0,63	1275	4,9	360X8X8	17,4	20P-11,14	67	704	300
VOLPİ MRL 2-3	1,00		7,8		23,7	20P-17,68	106		
VOLPİ MRL 2-3	1,60		12,5		33,2	20P-28,29	170		
VOLPİ MRL 2-3	2,00		15,6		39,0	20P-35,37	212		
VOLPİ MRL 2-3	2,50		19,5		48,8	20P-44,21	265		
VOLPİ MRL 2-3	0,63	1000	3,9	400X5X10	13,7	20P-10,03	60,0	613	310
VOLPİ MRL 2-3	1,00		6,1		21,7	20P-15,92	95,5		
VOLPİ MRL 2-3	1,60		9,8		26,0	20P-25,46	152,8		
VOLPİ MRL 2-3	2,00		12,2		32,5	20P-31,83	191,0		
VOLPİ MRL 2-3	2,50		15,3		38,3	20P-39,8	238,7		
VOLPİ MRL 2-3	0,63	1275	4,9	400X6X10	17,4	20P-10,03	60,0	782	3100
VOLPİ MRL 2-3	1,00		7,8		27,6	20P-15,92	95,5		
VOLPİ MRL 2-3	1,60		12,5		33,2	20P-25,46	152,8		
VOLPİ MRL 2-3	2,00		15,6		41,5	20P-31,83	191,0		
VOLPİ MRL 2-3	2,50		19,5		48,8	20P-39,8	238,7		







33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

volpi
VOLPI MRL 2-4
1,0 M-1600 kg







Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL 2-4	0,63	2000	7,7	320X10X8	27,3	20P-12,53	75	981	380
VOLPI MRL 2-4	1,00		12,2		37,2	20P-19,9	119		
VOLPI MRL 2-4	1,60		19,6		52,0	20P-31,83	191		
VOLPI MRL 2-4	2,00		24,5		61,2	20P-39,79	239		
VOLPI MRL 2-4	2,50		30,6		76,5	20P-49,74	298		
VOLPI MRL 2-4	0,63	1600	6,2	360X10X8	21,9	20P-11,14	67	883	385
VOLPI MRL 2-4	1,00		9,8		29,7	20P-17,68	106		
VOLPI MRL 2-4	1,60		15,7		41,6	20P-28,29	170		
VOLPI MRL 2-4	2,00		19,6		49,0	20P-35,37	212		
VOLPI MRL 2-4	2,50		24,5		61,2	20P-44,21	265		
VOLPI MRL 2-4	0,63	1600	6,2	400X7X10	21,9	20P-10,03	60	981	390
VOLPI MRL 2-4	1,00		9,8		34,7	20P-15,92	95		
VOLPI MRL 2-4	1,60		15,7		41,6	20P-25,46	153		
VOLPI MRL 2-4	2,00		19,6		52,0	20P-31,83	191		
VOLPI MRL 2-4	2,50		24,5		61,2	20P-39,8	239		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

volpi
VOLPİ MRL 2-5
1,0 M-2000 KG





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPİ MRL 2-5	0,63	2500	9,6	320X14X8	34,1	20P-12,53	75	1126	505
VOLPİ MRL 2-5	1,00		15,3		46,5	20P-19,9	119		
VOLPİ MRL 2-5	1,60		24,5		65,0	20P-31,83	191		
VOLPİ MRL 2-5	2,00		30,6		76,5	20P-39,79	239		
VOLPİ MRL 2-5	2,50		38,3		95,6	20P-49,74	298		
VOLPİ MRL 2-5	0,63	2000	7,7	360X11X8	27,3	20P-11,14	67	1104	510
VOLPİ MRL 2-5	1,00		12,2		37,2	20P-17,68	106		
VOLPİ MRL 2-5	1,60		19,6		52,0	20P-28,29	170		
VOLPİ MRL 2-5	2,00		24,5		61,2	20P-35,37	212		
VOLPİ MRL 2-5	2,50		30,6		76,5	20P-44,21	265		
VOLPİ MRL 2-5	0,63	2000	7,7	400X8X10	27,3	20P-10,03	60	1226	520
VOLPİ MRL 2-5	1,00		12,2		43,4	20P-15,92	95		
VOLPİ MRL 2-5	1,60		19,6		52,0	20P-25,46	153		
VOLPİ MRL 2-5	2,00		24,5		65,0	20P-31,83	191		
VOLPİ MRL 2-5	2,50		30,6		76,5	20P-39,8	239		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

volpi
VOLPI MRL 2-6
1,0 M-2500 KG





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL 2-6	0,63	3000	11,6	320X17X8	41,0	20P-12,53	75	1472	545
VOLPI MRL 2-6	1,00		18,4		55,7	20P-19,9	119		
VOLPI MRL 2-6	1,60		29,4		78,0	20P-31,83	191		
VOLPI MRL 2-6	2,00		36,7		91,8	20P-39,79	239		
VOLPI MRL 2-6	2,50		45,9		114,8	20P-49,74	298		
VOLPI MRL 2-6	0,63	2500	9,6	360X13X8	34,1	20P-11,14	67	1380	550
VOLPI MRL 2-6	1,00		15,3		46,5	20P-17,68	106		
VOLPI MRL 2-6	1,60		24,5		65,0	20P-28,29	170		
VOLPI MRL 2-6	2,00		30,6		76,5	20P-35,37	212		
VOLPI MRL 2-6	2,50		38,3		95,6	20P-44,21	265		
VOLPI MRL 2-6	0,63	2500	9,6	400X9X10	34,1	20P-10,03	60	1533	560
VOLPI MRL 2-6	1,00		15,3		54,2	20P-15,92	95		
VOLPI MRL 2-6	1,60		24,5		65,0	20P-25,46	153		
VOLPI MRL 2-6	2,00		30,6		81,3	20P-53,05	191		
VOLPI MRL 2-6	2,50		38,3		95,6	20P-39,8	239		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

volpi
VOLPI MRL 2-7
1,0 M-3000 KG





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL 2-7	0,63	3500	13,5	320X19X8	47,8	20P-12,53	75	1717	590
VOLPI MRL 2-7	1,00		21,4		65,0	20P-19,9	119		
VOLPI MRL 2-7	1,60		34,3		91,1	20P-31,83	191		
VOLPI MRL 2-7	2,00		42,8		107,1	20P-39,79	239		
VOLPI MRL 2-7	2,50		53,6		133,9	20P-49,74	298		
VOLPI MRL 2-7	0,63	3000	11,6	360X15X8	41,0	20P-11,14	67	1655	605
VOLPI MRL 2-7	1,00		18,4		55,7	20P-17,68	106		
VOLPI MRL 2-7	1,60		29,4		78,0	20P-28,29	170		
VOLPI MRL 2-7	2,00		36,7		91,8	20P-35,37	212		
VOLPI MRL 2-7	2,50		45,9		114,8	20P-44,21	265		
VOLPI MRL 2-7	0,63	3000	11,6	400X11X10	41,0	20P-10,03	60	1839	615
VOLPI MRL 2-7	1,00		18,4		65,0	20P-15,92	95		
VOLPI MRL 2-7	1,60		29,4		78,0	20P-25,46	153		
VOLPI MRL 2-7	2,00		36,7		97,6	20P-53,05	191		
VOLPI MRL 2-7	2,50		45,9		114,8	20P-39,8	239		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

volpi
VOLPI MRL 2-8
1,0 M-3500 KG





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL 2-8	0,63	3500	13,5	360X17X8	47,8	20P-11,14	67	1931	655
VOLPI MRL 2-8	1,00		21,4		65,0	20P-17,68	106		
VOLPI MRL 2-8	1,60		34,3		91,1	20P-28,29	170		
VOLPI MRL 2-8	2,00		42,8		107,1	20P-35,37	212		
VOLPI MRL 2-8	2,50		53,6		133,9	20P-44,21	265		
VOLPI MRL 2-8	0,63	3500	13,5	400X10X10	47,8	20P-10,03	60	21546	660
VOLPI MRL 2-8	1,00		21,4		75,9	20P-15,92	95		
VOLPI MRL 2-8	1,60		34,3		91,1	20P-25,46	153		
VOLPI MRL 2-8	2,00		42,8		113,8	20P-53,05	191		
VOLPI MRL 2-8	2,50		53,6		133,9	20P-39,8	239		



51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
AK1
1,0 M-320 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 1	0,63	320	1,2	210X5X6,5	3,7	20P-19,16	115,0	103	155
AK 1	1,00		2,0		5,2	20P - 30,32	182,0		
AK 1	1,60		3,1		7,8	20P - 48,5	291,0		
AK 1	2,00		3,9		9,8	20P - 60,63	364,0		
AK 1	2,50		4,9		12,2	20P -75,83	455,0		
AK 1	0,63	400	1,5	210X5X6,5	4,7	20P-19,16	115,0	129	
AK 1	1,00		2,4		6,5	20P - 30,32	182,0		
AK 1	1,60		3,9		9,8	20P - 48,5	291,0		
AK 1	2,00		4,9		12,2	20P - 60,63	364,0		
AK 1	2,50		6,1		15,3	20P -75,83	455,0		
AK 1	0,63	320	1,2	240X4X6,5	3,7	20P - 16.71	100,3	118	155
AK 1	1,00		2,0		5,2	20P - 26.53	160,0		
AK 1	1,60		3,1		7,8	20P - 42.44	254,6		
AK 1	2,00		3,9		9,8	20P - 53.16	318,3		
AK 1	2,50		4,9		12,2	20P - 66.33	397,9		







51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
AK2
1,0 M-630 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2	0,63	480	1,9	210X6X6,5	5,6	20P-19,16	115,0	155	175
AK 2	1,00		2,9		7,8	20P - 30,32	182,0		
AK 2	1,60		4,7		11,8	20P - 48,5	291,0		
AK 2	2,00		5,9		14,7	20P - 60,63	364,0		
AK 2	2,50		7,3		18,4	20P - 75,83	455,0		
AK 2	0,63	630	2,4	210X7X6,5	7,4	20P-19,16	115,0	203	
AK 2	1,00		3,9		10,2	20P - 30,32	182,0		
AK 2	1,60		6,2		15,4	20P - 48,5	291,0		
AK 2	2,00		7,7		19,3	20P - 60,63	364,0		
AK 2	2,50		9,6		24,1	20P - 75,83	455,0		
AK 2	0,63	800	3,1	210X8X6,5	9,4	20P-19,16	115,0	258	175
AK 2	1,00		4,9		13,0	20P - 30,32	182,0		
AK 2	1,60		7,8		19,6	20P - 48,5	291,0		
AK 2	2,00		9,8		24,5	20P - 60,63	364,0		
AK 2	2,50		12,2		30,6	20P - 75,83	455,0		
AK 2	0,63	400	1,5	240x4x6,5	4,7	20P - 16.67	100,0	147	175
AK 2	1,00		2,4		6,5	20P - 26.66	160,0		
AK 2	1,60		3,9		9,8	20P - 42.44	255,0		
AK 2	2,00		4,9		12,2	20P - 53.16	319,0		
AK 2	2,50		6,1		15,3	20P - 66.33	398,0		
AK 2	0,63	480	1,9	240x5x6,5	5,6	20P - 16.67	100,0	177	
AK 2	1,00		2,9		7,8	20P - 26.66	160,0		
AK 2	1,60		4,7		11,8	20P - 42.44	255,0		
AK 2	2,00		5,9		14,7	20P - 53.16	319,0		
AK 2	2,50		7,3		18,4	20P - 66.33	398,0		
AK 2	0,63	630	2,4	240x6x6,5	7,4	20P - 16.67	100,0	232	175
AK 2	1,00		3,9		10,2	20P - 26.66	160,0		
AK 2	1,60		6,2		15,4	20P - 42.44	255,0		
AK 2	2,00		7,7		19,3	20P - 53.16	319,0		
AK 2	2,50		9,6		24,1	20P - 66.33	398,0		

devamı arka sayfada / see overleaf


Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2	0,63	320	1,2	320x4x8	4,4	20P- 12.53	76,0	157	215
AK 2	1,00		2,0		5,9	20P- 19,89	120,0		
AK 2	1,60		3,1		8,3	20P- 31.83	191,0		
AK 2	2,00		3,9		9,8	20P- 39.79	239,0		
AK 2	2,50		4,9		12,2	20P-49.74	299,0		
AK 2	0,63	400	1,5	320x4x8	5,5	20P- 12.53	76,0	196	
AK 2	1,00		2,4		7,4	20P- 19,89	120,0		
AK 2	1,60		3,9		10,4	20P- 31.83	191,0		
AK 2	2,00		4,9		12,2	20P- 39.79	239,0		
AK 2	2,50		6,1		15,3	20P-49.74	299,0		
AK 2	0,63	480	1,8	320x4x8	6,6	20P - 16.71	100,3	118	215
AK 2	1,00		2,9		8,9	20P - 26.53	160,0		
AK 2	1,60		4,7		12,5	20P - 42.44	254,6		
AK 2	2,00		5,9		14,7	20P - 53.16	318,3		
AK 2	2,50		7,3		18,4	20P - 66.33	397,9		



51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
AK3
1,0 M-800 KG


Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 3	0,63	1000	3,9	210X9X6,5	11,7	20P-19,16	115,0	322	210
AK 3	1,00		6,1		16,3	20P - 30,32	182,0		
AK 3	1,60		9,8		24,5	20P - 48,5	291,0		
AK 3	2,00		12,2		30,6	20P - 60,63	364,0		
AK 3	2,50		15,3		38,3	20P -75,83	455,0		
AK 3	0,63	800	3,1	240X7X6,5	9,4	20P - 16.67	100,0	294	
AK 3	1,00		4,9		13,0	20P - 26.66	160,0		
AK 3	1,60		7,8		19,6	20P - 42.44	255,0		
AK 3	2,00		9,8		24,5	20P - 53.16	319,0		
AK 3	2,50		12,2		30,6	20P - 66.33	398,0		
AK 3	0,63	1000	3,9	240X8X6,5	11,7	20P - 16.67	100,0	368	210
AK 3	1,00		6,1		16,3	20P - 26.66	160,0		
AK 3	1,60		9,8		24,5	20P - 42.44	255,0		
AK 3	2,00		12,2		30,6	20P - 53.16	319,0		
AK 3	2,50		15,3		38,3	20P - 66.33	398,0		
AK 3	0,63	630	2,4	320X5X8	8,6	20P- 12.53	76,0	309	215
AK 3	1,00		3,9		11,7	20P- 19,89	120,0		
AK 3	1,60		6,2		16,4	20P- 31.83	191,0		
AK 3	2,00		7,7		19,3	20P- 39.79	239,0		
AK 3	2,50		9,6		24,1	20P-49.74	299,0		
AK 3	0,63	800	3,1	320X5X8	10,9	20P- 12.53	75,2	392	215
AK 3	1,00		4,9		14,9	20P- 19,89	119,4		
AK 3	1,60		7,8		20,8	20P- 31.83	191,0		
AK 3	2,00		9,8		24,5	20P- 39.79	238,7		
AK 3	2,50		12,2		30,6	20P-49.74	298,4		







51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
AK4
1,0 M-1000 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 4	0,63	1275	4,9	210X11X6,5	14,9	20P-19,16	115,0	410	270
AK 4	1,00		7,8		20,7	20P - 30,32	182,0		
AK 4	1,60		12,5		31,2	20P - 48,5	291,0		
AK 4	2,00		15,6		39,0	20P - 60,63	364,0		
AK 4	2,50		19,5		48,8	20P - 75,83	455,0		
AK 4	0,63	1600	6,2	210X13X6,5	18,7	20P-19,16	115,0	515	270
AK 4	1,00		9,8		26,0	20P - 30,32	182,0		
AK 4	1,60		15,7		39,2	20P - 48,5	291,0		
AK 4	2,00		19,6		49,0	20P - 60,63	364,0		
AK 4	2,50		24,5		61,2	20P - 75,83	455,0		
AK 4	0,63	1275	4,9	240X9X6,5	14,9	20P - 16,71	100,3	469	270
AK 4	1,00		7,8		20,7	20P - 26,53	160,0		
AK 4	1,60		12,5		31,2	20P - 42,44	254,6		
AK 4	2,00		15,6		39,0	20P - 53,16	318,3		
AK 4	2,50		19,5		48,8	20P - 66,33	397,9		
AK 4	0,63	1000	3,9	320X6X8	13,7	20P- 12,53	76,0	491	275
AK 4	1,00		6,1		18,6	20P- 19,89	120,0		
AK 4	1,60		9,8		26,0	20P- 31,83	191,0		
AK 4	2,00		12,2		30,6	20P- 39,79	239,0		
AK 4	2,50		15,3		38,3	20P-49,74	299,0		







Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 5	0,63	1600	6,2	240X11X6,5	18,7	20P - 16.71	100,3	589	305
AK 5	1,00		9,8		26,0	20P - 26.53	160,0		
AK 5	1,60		15,7		39,2	20P - 42.44	254,6		
AK 5	2,00		19,6		49,0	20P - 53.16	318,3		
AK 5	2,50		24,5		61,2	20P - 66.33	397,9		
AK 5	0,63	1275	4,9	320X7X8	17,4	20P- 12.53	76,0	625	310
AK 5	1,00		7,8		23,7	20P- 19.89	120,0		
AK 5	1,60		12,5		33,2	20P- 31.83	191,0		
AK 5	2,00		15,6		39,0	20P- 39.79	239,0		
AK 5	2,50		19,5		48,8	20P-49.74	299,0		



51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load


AKIS
AK6
1,0 M-1600 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 6	0,63	1600	6,20	320X8X8	21,9	20P- 12.53	75	785	345
AK 6	1,00		9,80		29,7	20P- 19,89	119		
AK 6	1,60		15,70		41,6	20P- 31.83	191		
AK 6	2,00		19,60		49,0	20P- 39.79	239		
AK 6	2,50		24,50		61,2	20P-49.74	298		








51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
AK2-2
1,0 M-630 KG



Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2-2	0,63	630	2,43	320X6X8	8,60	20P-12,53	75	309	250
AK 2-2	1,00		3,86		11,71	20P-19,89	119		
AK 2-2	1,60		6,17		16,39	20P-31,83	191		
AK 2-2	2,00		7,71		19,28	20P-39,79	239		
AK 2-2	2,50		9,64		24,10	20P-49,74	298		
AK 2-2	0,63	800	3,10	320X7X8	11,00	20P-11,14	75	392	251
AK 2-2	1,00		4,90		15,00	20P-17,68	119		
AK 2-2	1,60		7,80		21,00	20P-28,29	191		
AK 2-2	2,00		9,80		24,00	20P-35,37	239		
AK 2-2	2,50		12,20		31,00	20P-44,21	298		
AK 2-2	0,63	630	2,40	360X5X8	9,00	20P-11,14	66	392	252
AK 2-2	1,00		3,90		12,00	20P-17,68	106		
AK 2-2	1,60		6,20		16,00	20P-28,29	170		
AK 2-2	2,00		7,70		19,00	20P-35,37	212		
AK 2-2	2,50		9,60		24,00	20P-44,21	265		
AK 2-2	0,63	800	3,09	360X6X8	10,93	20P-11,14	67	441	253
AK 2-2	1,00		4,90		14,87	20P-17,68	106		
AK 2-2	1,60		7,84		20,81	20P-28,29	170		
AK 2-2	2,00		9,79		24,49	20P-35,37	212		
AK 2-2	2,50		12,2		30,61	20P-44,21	265		
AK 2-2	0,63	630	2,43	400X4X10	8,60	20P-10,03	60	386	254
AK 2-2	1,00		3,86		13,66	20P-15,92	95		
AK 2-2	1,60		6,17		16,39	20P-25,46	153		
AK 2-2	2,00		7,71		20,49	20P-31,83	191		
AK 2-2	2,50		9,64		54,20	20P-39,79	239		







51 Metre Seyir Mesafesi
51 Meters Cruising Range

2:1 Askı

2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

AKIS
AK 2-3
1,0 M-800 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2-3	0,63	1000	3,86	320X8X8	13,66	20P-12,53	75	491	300
AK 2-3	1,00		6,12		18,58	20P-19,89	119		
AK 2-3	1,60		9,79		26,02	20P-31,83	191		
AK 2-3	2,00		12,24		30,61	20P-39,79	239		
AK 2-3	2,50		15,30		38,26	20P-49,74	298		
AK 2-3	0,63	1275	4,92	320X10X8	17,41	20P-12,53	75	625	300
AK 2-3	1,00		7,80		23,69	20P-19,89	120		
AK 2-3	1,60		12,49		33,17	20P-31,83	191		
AK 2-3	2,00		15,61		39,02	20P-39,79	239		
AK 2-3	2,50		19,51		48,78	20P-49,74	298		
AK 2-3	0,63	1000	3,86	360X7X8	13,66	20P-11,14	67	552	300
AK 2-3	1,00		6,12		18,58	20P-17,68	106		
AK 2-3	1,60		9,79		26,02	20P-28,29	170		
AK 2-3	2,00		12,24		30,61	20P-35,37	212		
AK 2-3	2,50		15,30		38,26	20P-44,21	265		
AK 2-3	0,63	800	3,10	400X5X10	10,93	20P-10,03	60	491	300
AK 2-3	1,00		4,90		17,34	20P-15,92	96		
AK 2-3	1,60		7,90		20,81	20P-25,46	153		
AK 2-3	2,00		9,80		26,02	20P-31,83	191		
AK 2-3	2,50		12,20		57,81	20P-39,79	239		
AK 2-3	0,63	1000	3,90	400X5X10	13,66	20P-10,03	60	613	300
AK 2-3	1,00		6,12		21,68	20P-15,92	95		
AK 2-3	1,60		9,79		26,02	20P-25,46	153		
AK 2-3	2,00		12,24		32,52	20P-31,83	191		
AK 2-3	2,50		15,30		65,00	20P-39,79	239		




51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

AKIS
AK 2-4
1,0 M-1600 KG







Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2-4	0,63	1600	6,17	320X10X8	21,85	20P-12,53	75	785	380
AK 2-4	1,00		9,79		29,73	20P-19,89	119		
AK 2-4	1,60		15,67		41,62	20P-31,83	191		
AK 2-4	2,00		19,59		48,97	20P-39,79	239		
AK 2-4	2,50		24,49		61,21	20P-49,74	298		
AK 2-4	0,63	1275	4,92	360X8X8	17,41	20P-11,14	67	704	375
AK 2-4	1,00		7,80		23,69	20P-17,68	106		
AK 2-4	1,60		12,49		33,17	20P-28,29	170		
AK 2-4	2,00		15,61		39,02	20P-35,37	212		
AK 2-4	2,50		19,51		48,78	20P-44,21	265		
AK 2-4	0,63	1600	6,17	360X9X8	21,85	20P-11,14	67	883	380
AK 2-4	1,00		9,79		29,73	20P-17,68	106		
AK 2-4	1,60		15,67		41,62	20P-28,29	170		
AK 2-4	2,00		19,59		48,97	20P-35,37	212		
AK 2-4	2,50		24,49		61,21	20P-44,21	265		
AK 2-4	0,63	1275	4,90	400X6X10	17,41	20P-10,03	60	491	390
AK 2-4	1,00		7,80		27,64	20P-15,92	95		
AK 2-4	1,60		12,50		33,17	20P-25,46	153		
AK 2-4	2,00		15,60		41,46	20P-31,83	191		
AK 2-4	2,50		19,51		72,26	20P-39,79	239		



51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

AKIS
AK 2-5
1,0 M-2000 KG


Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2-5	0,63	2000	7,71	320X12X8	27,32	20P-12,53	75	785	505
AK 2-5	1,00		12,24		37,16	20P-19,89	119		
AK 2-5	1,60		19,59		52,03	20P-31,83	191		
AK 2-5	2,00		24,49		61,21	20P-39,79	239		
AK 2-5	2,50		30,61		76,52	20P-49,74	298		
AK 2-5	0,63	2000	7,71	360X11X8	27,32	20P-11,14	67	1104	515
AK 2-5	1,00		12,24		37,16	20P-17,68	106		
AK 2-5	1,60		19,59		52,03	20P-28,29	170		
AK 2-5	2,00		24,49		61,21	20P-35,37	212		
AK 2-5	2,50		30,61		76,52	20P-44,21	265		
AK 2-5	0,63	1600	6,17	400X6X10	21,85	20P-10,03	60	981	520
AK 2-5	1,00		9,79		34,69	20P-15,92	95		
AK 2-5	1,60		15,67		41,62	20P-25,46	153		
AK 2-5	2,00		19,59		52,03	20P-31,83	191		
AK 2-5	2,50		24,49		81,30	20P-39,79	239		



51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

AKIS
AK 2-6
1,0 M-2000 KG




Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2-6	0,63	2500	9,64	320X14X8	34,15	20P-12,53	75	1226	545
AK 2-6	1,00		15,30		46,46	20P-19,89	119		
AK 2-6	1,60		24,49		65,04	20P-31,83	191		
AK 2-6	2,00		30,61		76,52	20P-39,79	239		
AK 2-6	2,50		38,26		95,64	20P-49,74	298		
AK 2-6	0,63	2500	9,64	360X13X8	34,15	20P-11,14	67	1380	550
AK 2-6	1,00		15,30		46,46	20P-17,68	106		
AK 2-6	1,60		24,49		65,04	20P-28,29	170		
AK 2-6	2,00		30,61		76,52	20P-35,37	212		
AK 2-6	2,50		38,26		95,64	20P-44,21	265		
AK 2-6	0,63	2000	7,71	400X8X10	27,32	20P-10,03	60	1226	545
AK 2-6	1,00		12,24		43,36	20P-15,92	96		
AK 2-6	1,60		19,59		52,03	20P-25,46	153		
AK 2-6	2,00		24,49		65,04	20P-31,83	192		
AK 2-6	2,50		30,61		90,40	20P-39,79	239		



51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

AKIS
AK 2-7
1,0 M-2500 KG
YAN YATAKLI





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2-7	0,63	3000	11,57	320X14X8	40,97	20P-12,53	75	1472	590
AK 2-7	1,00		18,36		55,75	20P-19,89	119		
AK 2-7	1,60		29,38		78,05	20P-31,83	191		
AK 2-7	2,00		36,73		91,82	20P-39,79	239		
AK 2-7	2,50		45,91		114,77	20P-49,74	298		
AK 2-7	0,63	2500	9,64	400X9X10	34,15	20P-10,03	60	1533	615
AK 2-7	1,00		15,30		54,20	20P-15,92	95		
AK 2-7	1,60		24,49		65,04	20P-25,46	153		
AK 2-7	2,00		30,61		81,30	20P-31,83	191		
AK 2-7	2,50		38,26		94,80	20P-39,79	239		



51 Metre Seyir Mesafesi
51 Meters Cruising Range
2:1 Askı
2:1 Suspension
10000 kg Statik Yük
10000 kg Static Load

AKIS
AK 2-8
1,0 M-3000 KG





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK 2-8	0,63	3500	13,50	320X19X8	47,80	20P-12,53	75	1717	645
AK 2-8	1,00		21,42		65,04	20P-19,89	119		
AK 2-8	1,60		34,28		91,05	20P-31,83	191		
AK 2-8	2,00		42,85		107,12	20P-39,79	239		
AK 2-8	2,50		53,56		133,90	20P-49,74	298		
AK 2-8	0,63	3000	11,57	360X15X8	40,97	20P-11,14	67	1655	650
AK 2-8	1,00		18,36		55,75	20P-17,68	106		
AK 2-8	1,60		29,38		78,05	20P-28,29	170		
AK 2-8	2,00		36,73		91,82	20P-35,37	212		
AK 2-8	2,50		45,91		114,77	20P-44,21	265		
AK 2-8	0,63	3000	11,57	400X11X10	40,97	20P-10,03	60	1839	660
AK 2-8	1,00		18,36		65,04	20P-15,92	95		
AK 2-8	1,60		29,38		78,05	20P-25,46	153		
AK 2-8	2,00		36,73		97,56	20P-31,83	191		
AK 2-8	2,50		45,91		108,00	20P-39,79	239		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
GEARLESS S100
1,0 M-400 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
S 100	0,63	320	1,23	120X3X6,5	3,09	20P-33,42	201	59	190
S 100	1,00		1,96		4,90	20P-53,05	318		
S 100	1,60		3,13		7,84	20P-84,88	509		
S 100	2,00		3,92		9,79	20P- 106,10	637		
S 100	2,50		4,90		12,24	20P- 132,63	796		
S 100	0,63	400	1,54	120X3X6,5	3,86	20P-33,42	201	74	190
S 100	1,00		2,45		6,12	20P-53,05	318		
S 100	1,60		3,92		9,79	20P-84,88	509		
S 100	2,00		4,90		12,24	20P- 106,10	637		
S 100	2,50		6,12		15,30	20P- 132,63	796		
S 100	0,63	480	1,85	120X4X6,5	4,63	20P-33,42	201	88	190
S 100	1,00		2,94		7,35	20P-53,05	318		
S 100	1,60		4,70		11,75	20P-84,88	509		
S 100	2,00		5,88		14,69	20P- 106,10	637		
S 100	2,50		7,35		18,36	20P- 132,63	796		
S 100	0,63	320	1,23	140X3X6,5	3,28	20P- 28,65	172	69	190
S 100	1,00		1,96		4,90	20P- 45,47	273		
S 100	1,60		3,13		7,84	20P- 72,76	437		
S 100	2,00		3,92		9,79	20P- 90,95	546		
S 100	2,50		4,90		12,24	20P- 113,68	682		
S 100	0,63	400	1,54	140X3X6,5	4,10	20P- 28,65	172	86	190
S 100	1,00		2,45		6,12	20P- 45,47	273		
S 100	1,60		3,92		9,79	20P- 72,76	437		
S 100	2,00		4,90		12,24	20P- 90,95	546		
S 100	2,50		6,12		15,30	20P- 113,68	682		
S 100	0,63	320	1,54	140X3X6,5	4,10	20P- 28,65	172	86	190
S 100	1,00		2,45		6,12	20P- 45,47	273		
S 100	1,60		3,92		9,79	20P- 72,76	437		
S 100	2,00		4,90		12,24	20P- 90,95	546		
S 100	2,50		6,12		15,30	20P- 113,68	682		
S 100	0,63	320	1,37	160X3X6,5	3,28	20P- 25,07	150	78	190
S 100	1,00		1,96		4,90	20P- 39,79	239		
S 100	1,60		3,13		7,84	20P- 63,66	382		
S 100	2,00		3,92		9,79	20P- 79,58	477		
S 100	2,50		4,90		12,24	20P- 99,47	597		
S 100	0,63	400	1,71	140X3X6,5	4,10	20P- 25,07	150	86	190
S 100	1,00		2,45		6,12	20P- 39,79	239		
S 100	1,60		3,92		9,79	20P- 63,66	382		
S 100	2,00		4,90		12,24	20P- 79,58	477		
S 100	2,50		6,12		15,30	20P- 99,47	597		







33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
S 200
1,0 M-480 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
S 200	0,63	630	2,43	120X4X6,5	6,07	20P-33,42	201	116	205
S 200	1,00		3,86		9,64	20P-53,05	318		
S 200	1,60		6,17		15,43	20P-84,88	509		
S 200	2,00		7,71		19,28	20P- 106,10	637		
S 200	2,50		9,64		24,10	20P- 132,63	796		
S 200	0,63	800	3,09	120X5X6,5	7,71	20P-33,42	201	147	205
S 200	1,00		4,90		12,24	20P-53,05	318		
S 200	1,60		7,84		19,59	20P-84,88	509		
S 200	2,00		9,79		24,49	20P- 106,10	637		
S 200	2,50		12,24		30,61	20P- 132,63	796		
S 200	0,63	1000	3,86	120X6X6,5	9,64	20P-33,42	201	184	205
S 200	1,00		6,12		15,30	20P-53,05	318		
S 200	1,60		9,79		24,49	20P-84,88	509		
S 200	2,00		12,24		30,61	20P- 106,10	637		
S 200	2,50		15,30		38,26	20P- 132,63	796		
S 200	0,63	1275	4,92	120X7X6,5	12,29	20P-33,42	201	235	205
S 200	1,00		7,80		19,51	20P-53,05	318		
S 200	1,60		12,49		31,22	20P-84,88	509		
S 200	2,00		15,61		39,02	20P- 106,10	637		
S 200	2,50		19,51		48,78	20P- 132,63	796		
S 200	0,63	480	1,85	140X4X6,5	4,92	20P- 28,65	172	103	205
S 200	1,00		2,94		7,35	20P- 45,47	273		
S 200	1,60		4,70		11,75	20P- 72,76	437		
S 200	2,00		5,88		14,69	20P- 90,95	546		
S 200	2,50		7,35		18,36	20P- 113,68	682		
S 200	0,63	630	2,43	140X5X6,5	6,45	20P- 28,65	172	135	205
S 200	1,00		3,86		9,64	20P- 45,47	273		
S 200	1,60		6,17		15,43	20P- 72,76	437		
S 200	2,00		7,71		19,28	20P- 90,95	546		
S 200	2,50		9,64		24,10	20P- 113,68	682		
S 200	0,63	800	3,09	140X6X6,5	8,19	20P- 28,65	172	172	205
S 200	1,00		4,90		12,24	20P- 45,47	273		
S 200	1,60		7,84		19,59	20P- 72,76	437		
S 200	2,00		9,79		24,49	20P- 90,95	546		
S 200	2,50		12,24		30,61	20P- 113,68	682		

devamı arka sayfada / see overleaf


Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
S 200	0,63	1275	4,92	140X7X6,5	13,06	20P- 28,65	172	236	205
S 200	1,00		7,80		19,51	20P- 45,47	273		
S 200	1,60		12,49		31,22	20P- 72,76	437		
S 200	2,00		15,61		39,02	20P- 90,95	546		
S 200	2,50		19,51		48,78	20P- 113,68	682		
S 200	0,63	320	1,23	210X5X6,5	3,75	20P-19,10	115	103	205
S 200	1,00		1,96		5,20	20P-30,32	182		
S 200	1,60		3,13		7,84	20P-48,50	291		
S 200	2,00		3,92		9,79	20P-60,63	364		
S 200	2,50		4,90		12,24	20P-75,79	455		
S 200	0,63	400	1,54	210X5X6,5	4,68	20P-19,10	115	129	205
S 200	1,00		2,45		6,50	20P-30,32	182		
S 200	1,60		3,92		9,79	20P-48,50	291		
S 200	2,00		4,90		12,24	20P-60,63	364		
S 200	2,50		6,12		15,30	20P-75,79	455		
S 200	0,63	480	1,85	210X6X6,5	5,62	20P-19,10	115	155	205
S 200	1,00		2,94		7,80	20P-30,32	182		
S 200	1,60		4,70		11,75	20P-48,50	291		
S 200	2,00		5,88		14,69	20P-60,63	364		
S 200	2,50		7,35		18,36	20P-75,79	455		
S 200	0,63	630	2,43	210X7X6,5	7,38	20P-19,10	115	203	205
S 200	1,00		3,86		10,24	20P-30,32	182		
S 200	1,60		6,17		15,43	20P-48,50	291		
S 200	2,00		7,71		19,28	20P-60,63	364		
S 200	2,50		9,64		24,10	20P-75,79	455		
S 200	0,63	320	1,23	240X4X6,5	3,75	20P - 16,71	100	118	205
S 200	1,00		1,96		5,20	20P - 26,53	159		
S 200	1,60		3,13		7,84	20P - 42,44	255		
S 200	2,00		3,92		9,79	20P- 53,05	318		
S 200	2,50		4,90		12,24	20P- 63,61	398		
S 200	0,63	400	1,54	240X4X6,5	4,68	20P - 16,71	100	147	205
S 200	1,00		2,45		6,50	20P - 26,53	159		
S 200	1,60		3,92		9,79	20P - 42,44	255		
S 200	2,00		4,90		12,24	20P- 53,05	318		
S 200	2,50		6,12		15,30	20P- 63,61	398		
S 200	0,63	480	1,85	240X5X6,5	5,62	20P - 16,71	100	177	205
S 200	1,00		2,94		7,80	20P - 26,53	159		
S 200	1,60		4,70		11,75	20P - 42,44	255		
S 200	2,00		5,88		14,69	20P- 53,05	318		
S 200	2,50		7,35		18,36	20P- 63,61	398		
S 200	0,63	630	2,43	240X6X6,5	7,38	20P - 16,71	100	232	205
S 200	1,00		3,86		10,24	20P - 26,53	159		
S 200	1,60		6,17		15,43	20P - 42,44	255		
S 200	2,00		7,71		19,28	20P- 53,05	318		
S 200	2,50		9,64		24,10	20P- 63,61	398		
S 200	0,63	320	1,23	320X4X8	4,37	20P - 12,53	75	157	205
S 200	1,00		1,96		5,95	20P - 19,89	119		
S 200	1,60		3,13		8,32	20P - 31,83	191		
S 200	2,00		3,92		9,79	20P- 39,79	239		
S 200	2,50		4,90		12,24	20P- 49,74	298		
S 200	0,63	400	1,54	320X4X8	5,46	20P - 12,53	75	196	205
S 200	1,00		2,45		7,43	20P - 19,89	119		
S 200	1,60		3,92		10,41	20P - 31,83	191		
S 200	2,00		4,90		12,24	20P- 39,79	239		
S 200	2,50		6,12		15,30	20P- 49,74	298		
S 200	0,63	480	1,85	320X4X8	6,56	20P - 12,53	75	235	205
S 200	1,00		2,94		8,92	20P - 19,89	119		
S 200	1,60		4,70		12,49	20P - 31,83	191		
S 200	2,00		5,88		14,69	20P- 39,79	239		
S 200	2,50		7,35		18,36	20P- 49,74	298		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
S 300
1,0 M-800 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
S 300	0,63	800	3,09	210X8X6,5	9,37	20P-19,10	115	258	220
S 300	1,00		4,90		13,01	20P-30,32	182		
S 300	1,60		7,84		19,59	20P-48,50	291		
S 300	2,00		9,79		24,49	20P-60,63	364		
S 300	2,50		12,24		30,61	20P-75,79	455		
S 300	0,63	1000	3,86	210X9X6,5	11,71	20P-19,10	115	322	220
S 300	1,00		6,12		16,26	20P-30,32	182		
S 300	1,60		9,79		24,49	20P-48,50	291		
S 300	2,00		12,24		30,61	20P-60,63	364		
S 300	2,50		15,30		38,26	20P-75,79	455		
S 300	0,63	800	3,09	240X7X6,5	9,37	20P - 16,71	100	294	220
S 300	1,00		4,90		13,01	20P - 26,53	159		
S 300	1,60		7,84		19,59	20P - 42,44	255		
S 300	2,00		9,79		24,49	20P- 53,05	318		
S 300	2,50		12,24		30,61	20P- 63,61	398		
S 300	0,63	630	2,43	320X5X8	8,60	20P - 12,53	75	309	220
S 300	1,00		3,86		11,71	20P - 19,89	119		
S 300	1,60		6,17		16,39	20P - 31,83	191		
S 300	2,00		7,71		19,28	20P- 39,79	239		
S 300	2,50		9,64		24,10	20P- 49,74	298		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
GEARLESS
S 400 MAKİNE MONTAJI

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
S 400	0,63	1275	4,92	210X11X6,5	14,93	20P-19,10	115	410	235
S 400	1,00		7,80		20,73	20P-30,32	182		
S 400	1,60		12,49		31,22	20P-48,50	291		
S 400	2,00		15,61		39,02	20P-60,63	364		
S 400	2,50		19,51		48,78	20P-75,79	455		
S 400	0,63	1000	3,86	240X8X6,5	11,71	20P - 16,71	100	368	235
S 400	1,00		6,12		16,26	20P - 26,53	159		
S 400	1,60		9,79		24,49	20P - 42,44	255		
S 400	2,00		12,24		30,61	20P- 53,05	318		
S 400	2,50		15,30		38,26	20P- 63,61	398		
S 400	0,63	1275	4,92	240X9X6,5	14,93	20P - 16,71	100	469	235
S 400	1,00		7,80		20,73	20P - 26,53	159		
S 400	1,60		12,49		31,22	20P - 42,44	255		
S 400	2,00		15,61		39,02	20P- 53,05	318		
S 400	2,50		19,51		48,78	20P- 63,61	398		
S 400	0,63	800	3,09	320X5X8	10,93	20P - 12,53	75	392	240
S 400	1,00		4,90		14,87	20P - 19,89	119		
S 400	1,60		7,84		20,81	20P - 31,83	191		
S 400	2,00		9,79		24,49	20P- 39,79	239		
S 400	2,50		12,24		30,61	20P- 49,74	298		




BELT GEARLESS MACHINES




Speed: 0,63-1,60 m/s

Capacity: 320-1000 kg



Cruising Range: 33 meter







33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPI MRL K1	0,63	320	1,2	120X3**	3,1	20P - 33,42	201	59	155
VOLPI MRL K1	1,00		2,0		4,9	20P - 53,05	318		
VOLPI MRL K1	1,60		3,1		7,8	20P - 84,88	509		
VOLPI MRL K1	0,63	400	1,5	120X3**	3,9	20P - 33,42	201	74	155
VOLPI MRL K1	1,00		2,4		6,1	20P - 53,05	318		
VOLPI MRL K1	1,60		3,9		9,8	20P - 84,88	509		
VOLPI MRL K1	0,63	480	1,9	120X3**	4,6	20P - 33,42	201	88	155
VOLPI MRL K1	1,00		2,9		7,3	20P - 53,05	318		
VOLPI MRL K1	1,60		4,7		11,8	20P - 84,88	509		
VOLPI MRL K1	0,63	630	2,4	120X3**	6,1	20P - 33,42	201	116	155
VOLPI MRL K1	1,00		3,9		9,6	20P - 53,05	318		
VOLPI MRL K1	1,60		6,2		15,4	20P - 84,88	509		
VOLPI MRL K1	0,63	320	1,2	140X3**	3,3	20P - 28,65	172	69	155
VOLPI MRL K1	1,00		2,0		4,9	20P - 45,47	273		
VOLPI MRL K1	1,60		3,1		7,8	20P - 72,76	437		
VOLPI MRL K1	0,63	400	1,5	140X3**	4,1	20P - 28,65	172	86	155
VOLPI MRL K1	1,00		2,4		6,1	20P - 45,47	273		
VOLPI MRL K1	1,60		3,9		9,8	20P - 72,76	437		
VOLPI MRL K1	0,63	480	1,9	140X3**	4,9	20P - 28,65	172	103	155
VOLPI MRL K1	1,00		2,9		7,3	20P - 45,47	273		
VOLPI MRL K1	1,60		4,7		11,8	20P - 72,76	437		
VOLPI MRL K1	0,63	320	1,2	160X3**	3,3	20P - 25,07	150	78	155
VOLPI MRL K1	1,00		2,0		4,9	20P - 39,79	239		
VOLPI MRL K1	1,60		3,1		7,8	20P - 63,66	382		
VOLPI MRL K1	0,63	400	1,5	160X3**	4,1	20P - 25,07	150	98	155
VOLPI MRL K1	1,00		2,4		6,1	20P - 39,79	239		
VOLPI MRL K1	1,60		3,9		9,8	20P - 63,66	382		
VOLPI MRL K1	0,63	480	1,9	160X3**	4,9	20P - 25,07	150	118	155
VOLPI MRL K1	1,00		2,9		7,3	20P - 39,79	239		
VOLPI MRL K1	1,60		4,7		11,8	20P - 63,66	382		







33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load



volpi
MRL 2-KAYIŞLI
1,0 M-1000 KG





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
VOLPİ MRL K2	0,63	800	3,1	120X4**	7,7	20P - 33,42	201	147	190
VOLPİ MRL K2	1,00		4,9		12,2	20P - 53,05	318		
VOLPİ MRL K2	1,60		7,8		19,6	20P - 84,88	509		
VOLPİ MRL K2	0,63	1000	3,9	120X5**	9,6	20P - 33,42	201	184	190
VOLPİ MRL K2	1,00		6,1		15,3	20P - 53,05	318		
VOLPİ MRL K2	1,60		9,8		24,5	20P - 84,88	509		
VOLPİ MRL K2	0,63	630	2,4	140X3**	6,5	20P - 28,65	172	135	190
VOLPİ MRL K2	1,00		3,9		9,6	20P - 45,47	273		
VOLPİ MRL K2	1,60		6,2		15,4	20P - 72,76	437		
VOLPİ MRL K2	0,63	800	3,1	140X4**	8,2	20P - 28,65	172	172	190
VOLPİ MRL K2	1,00		4,9		12,2	20P - 45,47	273		
VOLPİ MRL K2	1,60		7,8		19,6	20P - 72,76	437		
VOLPİ MRL K2	0,63	1000	3,9	140X5**	10,2	20P - 28,65	172	215	190
VOLPİ MRL K2	1,00		6,1		15,3	20P - 45,47	273		
VOLPİ MRL K2	1,60		9,8		24,5	20P - 72,76	437		
VOLPİ MRL K2	0,63	630	2,4	160X3**	6,5	20P - 25,07	150	155	190
VOLPİ MRL K2	1,00		3,9		9,6	20P - 39,79	239		
VOLPİ MRL K2	1,60		6,2		15,4	20P - 63,66	382		
VOLPİ MRL K2	0,63	800	3,1	160X4**	8,2	20P - 25,07	150	196	190
VOLPİ MRL K2	1,00		4,9		12,2	20P - 39,79	239		
VOLPİ MRL K2	1,60		7,8		19,6	20P - 63,66	382		
VOLPİ MRL K2	0,63	1000	3,9	160X5**	10,2	20P - 25,07	150	245	190
VOLPİ MRL K2	1,00		6,1		15,3	20P - 39,79	239		
VOLPİ MRL K2	1,60		9,8		24,5	20P - 63,66	382		



33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
AK 1-KAYIŞLI
1,0 M-480 KG





Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK K1	0,63	320	1,2	120X3**	3,1	20P - 33,42	201	59	155
AK K1	1,00		2,0		4,9	20P - 53,05	318		
AK K1	1,60		3,1		7,8	20P - 84,88	509		
AK K1	0,63	400	1,5	120X3**	3,9	20P - 33,42	201	74	155
AK K1	1,00		2,4		6,1	20P - 53,05	318		
AK K1	1,60		3,9		9,8	20P - 84,88	509		
AK K1	0,63	480	1,9	120X3**	4,6	20P - 33,42	201	88	155
AK K1	1,00		2,9		7,3	20P - 53,05	318		
AK K1	1,60		4,7		11,8	20P - 84,88	509		
AK K1	0,63	630	2,4	120X3**	6,1	20P - 33,42	201	116	155
AK K1	1,00		3,9		9,6	20P - 53,05	318		
AK K1	1,60		6,2		15,4	20P - 84,88	509		
AK K1	0,63	320	1,2	140X3**	3,3	20P - 28,65	172	69	155
AK K1	1,00		2,0		4,9	20P - 45,47	273		
AK K1	1,60		3,1		7,8	20P - 72,76	437		
AK K1	0,63	400	1,5	140X3**	4,1	20P - 28,65	172	86	155
AK K1	1,00		2,4		6,1	20P - 45,47	273		
AK K1	1,60		3,9		9,8	20P - 72,76	437		
AK K1	0,63	480	1,9	140X3**	4,9	20P - 28,65	172	103	155
AK K1	1,00		2,9		7,3	20P - 45,47	273		
AK K1	1,60		4,7		11,8	20P - 72,76	437		
AK K1	0,63	320	1,2	160X3**	3,3	20P - 25,07	150	78	155
AK K1	1,00		2,0		4,9	20P - 39,79	239		
AK K1	1,60		3,1		7,8	20P - 63,66	382		
AK K1	0,63	400	1,5	160X3**	4,1	20P - 25,07	150	98	155
AK K1	1,00		2,4		6,1	20P - 39,79	239		
AK K1	1,60		3,9		9,8	20P - 63,66	382		
AK K1	0,63	480	1,9	160X3**	4,9	20P - 25,07	150	118	155
AK K1	1,00		2,9		7,3	20P - 39,79	239		
AK K1	1,60		4,7		11,8	20P - 63,66	382		

**AKIS****AK K2**

33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
AK 2-KAYIŞLI
1,0 M-1000 KG




Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
AK K2	0,63	800	3,1	120X4**	7,7	20P - 33,42	201	147	190
AK K2	1,00		4,9		12,2	20P - 53,05	318		
AK K2	1,60		7,8	120X5**	19,6	20P - 84,88	509		
AK K2	0,63	1000	3,9	120X5**	9,6	20P - 33,42	201	184	190
AK K2	1,00		6,1		15,3	20P - 53,05	318		
AK K2	1,60		9,8		24,5	20P - 84,88	509		
AK K2	0,63	630	2,4	140X3**	6,5	20P - 28,65	172	135	190
AK K2	1,00		3,9		9,6	20P - 45,47	273		
AK K2	1,60		6,2	140X4**	15,4	20P - 72,76	437		
AK K2	0,63	800	3,1	160X4**	8,2	20P - 28,65	172	172	190
AK K2	1,00		4,9		12,2	20P - 45,47	273		
AK K2	1,60		7,8	160X5**	19,6	20P - 72,76	437		
AK K2	0,63	1000	3,9	160X5**	10,2	20P - 28,65	172	215	190
AK K2	1,00		6,1		15,3	20P - 45,47	273		
AK K2	1,60		9,8		24,5	20P - 72,76	437		




33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load

AKIS
S 100-KAYIŞLI
1,0 M-480 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
S 100 K1	0,63	320	1,2	120X3**	3,1	20P - 33,42	201	59	190
S 100 K1	1,00		2,0		4,9	20P - 53,05	318		
S 100 K1	1,60		3,1		7,8	20P - 84,88	509		
S 100 K1	0,63	400	1,5	120X3**	3,9	20P - 33,42	201	74	190
S 100 K1	1,00		2,4		6,1	20P - 53,05	318		
S 100 K1	1,60		3,9		9,8	20P - 84,88	509		
S 100 K1	0,63	480	1,9	120X3**	4,6	20P - 33,42	201	88	190
S 100 K1	1,00		2,9		7,3	20P - 53,05	318		
S 100 K1	1,60		4,7		11,8	20P - 84,88	509		
S 100 K1	0,63	320	1,2	140X3**	3,3	20P - 28,65	172	69	190
S 100 K1	1,00		2,0		4,9	20P - 45,47	273		
S 100 K1	1,60		3,1		7,8	20P - 72,76	437		
S 100 K1	0,63	400	1,5	140X3**	4,1	20P - 28,65	172	86	190
S 100 K1	1,00		2,4		6,1	20P - 45,47	273		
S 100 K1	1,60		3,9		9,8	20P - 72,76	437		
S 100 K1	0,63	320	1,2	160X3**	3,3	20P - 25,07	150	78	190
S 100 K1	1,00		2,0		4,9	20P - 39,79	239		
S 100 K1	1,60		3,1		7,8	20P - 63,66	382		
S 100 K1	0,63	400	1,5	160X3**	4,1	20P - 25,07	150	98	190
S 100 K1	1,00		2,4		6,1	20P - 39,79	239		
S 100 K1	1,60		3,9		9,8	20P - 63,67	382		

**AKIS****S200 K2**

33 Metre Seyir Mesafesi
33 Meters Cruising Range
2:1 Askı
2:1 Suspension
7000 kg Statik Yük
7000 kg Static Load



AKIS
S 200-KAYIŞLI
1,0 M-1000 KG

Ürün Product	Hız (m/s) Speed (m/s)	Kapasite(kg) Capacity (kg)	Güç Power	Kasnak Pulley	Amper Ampere	Kutup Frekansı Pole Frequency	Devir Rev	Tork Torque	Makine Ağırlığı Machine Weight
S 200 K2	0,63	630	2,4	120X3**	6,1	20P - 33,42	201	116	205
S 200 K2	1,00		3,9		9,6	20P - 53,05	318		
S 200 K2	1,60		6,2		15,4	20P - 84,88	509		
S 200 K2	0,63	800	3,1	120X4**	7,7	20P - 33,42	201	147	205
S 200 K2	1,00		4,9		12,2	20P - 53,05	318		
S 200 K2	1,60		7,8		19,6	20P - 84,88	509		
S 200 K2	0,63	1000	3,9	120X5**	9,6	20P - 33,42	201	184	205
S 200 K2	1,00		6,1		15,3	20P - 53,05	318		
S 200 K2	1,60		9,8		24,5	20P - 84,88	509		
S 200 K2	0,63	480	1,9	140X3**	4,9	20P - 28,65	172	103	205
S 200 K2	1,00		2,9		7,3	20P - 45,47	273		
S 200 K2	1,60		4,7		11,8	20P - 72,76	437		
S 200 K2	0,63	630	2,4	140X3**	6,5	20P - 28,65	172	135	205
S 200 K2	1,00		3,9		9,6	20P - 45,47	273		
S 200 K2	1,60		6,2		15,4	20P - 72,76	437		
S 200 K2	0,63	800	3,1	140X4**	8,2	20P - 28,65	172	172	205
S 200 K2	1,00		4,9		12,2	20P - 45,47	273		
S 200 K2	1,60		7,8		19,6	20P - 72,76	437		
S 200 K2	0,63	1000	3,9	140X5**	10,2	20P - 28,65	172	215	205
S 200 K2	1,00		6,1		15,3	20P - 45,47	273		
S 200 K2	1,60		9,8		24,5	20P - 72,76	437		
S 200 K2	0,63	480	1,9	160X3**	4,9	20P - 25,07	150	118	205
S 200 K2	1,00		2,9		7,3	20P - 39,79	239		
S 200 K2	1,60		4,7		11,8	20P - 63,68	382		
S 200 K2	0,63	630	2,4	160X3**	6,5	20P - 25,07	150	155	205
S 200 K2	1,00		3,9		9,6	20P - 39,79	239		
S 200 K2	1,60		6,2		15,4	20P - 63,69	382		
S 200 K2	0,63	800	3,1	160X4**	8,2	20P - 25,07	150	196	205
S 200 K2	1,00		4,9		12,2	20P - 39,79	239		
S 200 K2	1,60		7,8		19,6	20P - 63,70	382		

NOT

NOT

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or typing. There are no margins, text, or other markings on the page.



Speed: 0,27 m/s - 3,2 m/s

Capacity: 100 kg - 19.500 kg

Engineered to Perfection





OSB, Kayacık Mah. Ziyaeddin Cad. 6. Sok. No:2
42300 Selçuklu/KONYA/TURKEY
Tel: +90 332 239 07 29 - Fax: +90 332 239 07 59
info@akisasansor.com.tr-www.akisasansor.com.tr